

References

- Alamer, Abayneh, Haimanot Melese, and Fetene Nigussie. "Effectiveness of Neuromuscular Electrical Stimulation on Post-Stroke Dysphagia: A Systematic Review of Randomized Controlled Trials." *Clinical interventions in aging* 15 (2020): 1521.
- American Gastroenterological Association Technical Review on Tube Feeding for Enteral Nutrition. *Gastroenterol*, 1995;108:1282-1301
- Andreollo NA, Thompson DG, Kendall GP, Earlam RJ. Responses of the upper esophageal sphincter and esophageal body to graded intraluminal distension. *Braz J Med Biol Res*, 1987; 20:165-73
- Arslan, Selen Serel, et al. "Effects of Submental Surface Electrical Stimulation on Swallowing Kinematics in Healthy Adults: An Error-Based Learning Paradigm." *American journal of speech-language pathology*: 1-10.
- Aviv JE. Accessed on 3/9/06 at http://www.voiceandswallowing.com/swall_norm.htm
- Baijens LW, Speyer R, Roodenburg N, and Manni JJ. The effects of neuromuscular electrical stimulation for dysphagia in opercular syndrome: a case study. *Eur Arch Otorhinolaryngol* 2008.
- Baijens LW, Speyer R, Passos VL, Pilz W, Roodenburg N, Clave P. The Effect of Surface Electrical Stimulation on Swallowing in Dysphagic Parkinson Patients. *Dysphagia*. Jan 12, 2012 2012.
- Baijens, Laura WJ, et al. "Surface electrical stimulation in dysphagic Parkinson patients: a randomized clinical trial." *The Laryngoscope* 123.11 (2013): E38-E44.
- Bapat RD, Bakhshi GD, Kantharia CV, Shirodkar SS, Iyer AP, Ranka S. Self-bougienage: long-term relief of corrosive esophageal strictures. *Indian J Gastroenterol*, 2001; 20:180-2
- Barikroo A, Lam PM. Comparing the Effects of Rehabilitation Swallowing Therapy vs. Functional Neuromuscular Electrical Stimulation Therapy in an Encephalitis Patient: A Case Study. *Dysphagia*. Jan 26.
- Barikroo, Ali, et al. "Effect of transcutaneous electrical stimulation amplitude on timing of swallow pressure peaks between healthy young and older adults." *Gerodontology* 34.1 (2017): 24-32.
- Barikroo, Ali, Giselle Carnaby, and Michael Cray. "Electrical stimulation therapy for dysphagia: a follow-up survey of USA dysphagia practitioners." *International Journal of Rehabilitation Research* 40.4 (2017): 360-365
- Barritt, Andrew W., and David G. Smithard. "Role of cerebral cortex plasticity in the recovery of swallowing function following dysphagic stroke." *Dysphagia* 24.1 (2009): 83-90.
- Bauer W. Electrical treatment of severe head and neck cancer pain. *Arch Otolaryngol*. Jun 1983;109(6):382-383.
- Belafsky P, Speirs J, Hiss S, Postma G. The safety and efficacy of transcutaneous electrical stimulation in treating dysphagia: Preliminary experience. NCSHA. Charleston; 2004.
- Bentzen SM, Saunders MI, Dische S, Bond SJ. Radiotherapy-related early morbidity in head and neck cancer: Quantitative clinical radiobiology as deduced from the CHART trial. *Radiother Oncol* 2001;60:123–135

- Beom J, Kim S, Han T. Electrical Stimulation of the Suprahyoid Muscles in Brain-injured Patients with Dysphagia: A Pilot Study. *Ann Rehabil Med*. 2011(35):322-327.
- Beom, Jaewon, et al. "Effect of Electrical Stimulation of the Suprahyoid Muscles in Brain-Injured Patients with Dysphagia." *Dysphagia* 30.4 (2015): 423-429.
- Berretin-Felix, Giédre, et al. "Immediate effects of transcutaneous electrical stimulation on physiological swallowing effort in older versus young adults." *Gerodontology* (2014).
- Bhatt, Aashish D., et al. "Impact of transcutaneous neuromuscular electrical stimulation on dysphagia in patients with head and neck cancer treated with definitive chemoradiation." *Head & neck* 37.7 (2015): 1051-1056.
- Blitzer A, Sulica L. Botulinum toxin: basic science and clinical uses in otolaryngology. *Laryngoscope*, 200; 111:218-26
- Blumenfeld L, Hahn Y, LePage A, Leonard R, Belafsky PC. Transcutaneous electrical stimulation versus traditional dysphagia therapy: A nonconcurrent cohort study. *Otolaryngol Head Neck Surg*, 2006; 135:754-757.
- Bogaardt H, van Dam D, Wever NM, Bruggeman CE, Koops J, and Fokkens WJ. Use of neuromuscular electrostimulation in the treatment of dysphagia in patients with multiple sclerosis. *Ann Otol Rhinol Laryngol* 118: 241-246, 2009.
- Boswell N, Bauer W. Noninvasive electrical stimulation for the treatment of radiotherapy side effects. *American Journal of Electromedicine*. 1985;2(3).
- Boswell N. Neuroelectric therapy eliminates xerostomia during radiotherapy—a case history. *Med Electron*. 1989;115:105-107.
- Broniatowski M, Grundfest-Broniatowski S, Tyler DJ, Scolieri P, Abbass F, Tucker HM, Brodsky S. Dynamic laryngotracheal closure for aspiration: a preliminary report. *Laryngoscope*, 2001; 111:2032-40
- Bulow M, Olsson R, Ekberg O. Videoradiographic analysis of how carbonated thin liquids and thickened liquids affect the physiology of swallowing in subjects with aspiration on thin liquids. *Acta Radiol*, 2003; 44:366-72
- Burnett TA, Mann EA, Cornell SA, Ludlow CL. Laryngeal elevation achieved by neuromuscular stimulation at rest. *J Appl Physiol*, 2003; 94:128-34
- Byeon, Haewon, and S. Cho. "Voice change after neuromuscular electrical stimulation to laryngeal muscles." *Advanced Science and Technology* 105 (2015): 28-31
- Byeon, Haewon. "Combined Effects of NMES and Mendelsohn Maneuver on the Swallowing Function and Swallowing–Quality of Life of Patients with Stroke-Induced Sub-Acute Swallowing Disorders." *Biomedicines* 8.1 (2020): 12.
- Calabrò, Rocco Salvatore, et al. "Is non-invasive neuromuscular electrical stimulation effective in severe chronic neurogenic dysphagia? Report on a post-traumatic brain injury patient." *NeuroRehabilitation* 38.1 (2016): 53-57.
- Carnaby G, Hankey GJ, Pizzi J. Behavioural intervention for dysphagia in acute stroke: a randomized controlled trial. *Lancet Neurol*, 2006; 5:31-37.
- Carnaby-Mann GD, Crary MA. Examining the evidence on neuromuscular electrical stimulation for swallowing: a meta-analysis. *Arch Otolaryngol Head Neck Surg*. Jun 2007;133(6):564-571.
- Carnaby-Mann GD, and Crary MA. Adjunctive neuromuscular electrical stimulation for treatment-refractory dysphagia. *Ann Otol Rhinol Laryngol* 117: 279-287, 2008.

- Carnaby, Giselle D., et al. "Exercise-based swallowing intervention (McNeill Dysphagia Therapy) with adjunctive NMES to treat dysphagia post stroke: A double blind placebo-controlled trial." *Journal of Oral Rehabilitation* (2019).
- Chaudhuri G, Brady S, Caldwell R. Electric Stimulation for Dysphagia Following Stroke: Pilot Data. *Arch Phys Med Rehabil.* 2006;87(11):e51.
- Chen CH, Wu T, Chu NS. Bilateral cortical representation of the intrinsic lingual muscles. *Neurology*, 1999; 52:411-3
- Chen, Yi-Wen, et al. "The effects of surface neuromuscular electrical stimulation on post-stroke dysphagia: a systemic review and meta-analysis." *Clinical rehabilitation* 30.1 (2016): 24-35.
- Cheng, Virginia N., Jenna N. Dalton, and Kathryn R. Howrigan. "Efficacy of electrical stimulation intervention in treating adults with dysphagia: A systematic review." (2019).
- Cheung SM, Chen CJ, Hsin YJ, Tsai YT, Leong CP. Effect of neuromuscular electrical stimulation in a patient with Sjogren's syndrome with dysphagia: a real time videofluoroscopic swallowing study. *Chang Gung Med J.* May-Jun;33(3):338-345.
- Choi, Jong-Bae. "Effect of neuromuscular electrical stimulation on facial muscle strength and oral function in stroke patients with facial palsy." *Journal of Physical Therapy Science* 28.9 (2016): 2541-2543.
- Christiaanse M, Glynn J, Bradshaw J. Experience with transcutaneous electrical stimulation: A new treatment option for the management of pediatric dysphagia. NCSHA. Charleston; 2003.
- Clark, Heather, et al. "Evidence-based systematic review: effects of neuromuscular electrical stimulation on swallowing and neural activation." *American Journal of Speech-Language Pathology* 18.4 (2009): 361-375.
- CMS. Medicare program; Revised process for making medicare national coverage determinations. Federal Register, 2003, p. 55634-55641.
- Crary MA. A direct intervention program for chronic neurogenic dysphagia secondary to brainstem stroke. *Dysphagia*, 1995; 10:6-18
- Crary MA, Carnaby Mann GD, Groher ME. Initial psychometric assessment of a functional oral intake scale for dysphagia in stroke patients. *Arch Phys Med Rehab*, 2005; 86:1516-1520.
- Crary M, Carnaby-Mann G, Faunce A. Electrical stimulation therapy for dysphagia: Descriptive results of two surveys. *Dysphagia*. 22 February 2007.
- Crary, Michael A., and Giselle D. Carnaby. "Adoption into clinical practice of two therapies to manage swallowing disorders: exercise based swallowing rehabilitation and electrical stimulation." *Current opinion in otolaryngology & head and neck surgery* 22.3 (2014): 172
- Dantas RO, Cook IJ, Dodds WJ, Kern MK, Lang IM, Brasseur JG. Biomechanics of cricopharyngeal bars. *Gastroenterology*, 1990; 99:1269-74
- De Caluwe D, Nassogne MC, Reding R, de Ville de Goyet J, Clapuyt P, Otte JB. Cricopharyngeal achalasia: case reports and review of the literature. *Eur J Pediatr Surg*, 1999; 9:109-12
- DePippo KL, Holas MA, Reding MJ, Mandel FS, Lesser ML. Dysphagia therapy following stroke: a controlled trial. *Neurology*, 1994; 44:1655-60

- Dinari G, Danziger Y, Mimouni M, Rosenbach Y, Zahavi I, Grunebaum M. Cricopharyngeal dysfunction in childhood: treatment by dilatations. *J Pediatr Gastroenterol Nutr*, 1987; 6:212-6
- Doeltgen S, Huckabee M, Dalrymple-Alford J, Ridding M, and O'Beirne G. Effect of event-related electrical stimulation on motor evoked potentials at the submental muscle group. In: *DRS*. Charleston, SC: 2008.
- Doty, Robert W., William H. Richmond, and Arthur T. Storey. "Effect of medullary lesions on coordination of deglutition." *Experimental neurology* 17.1 (1967): 91-106.
- ECRI. Diagnosis and Treatment of Swallowing Disorders (Dysphagia) in Acute-Care Stroke Patients. Evidence Report/Technology Assessment No. 8. (Prepared by ECRI Evidence-based Practice Center under Contract No. 290-97-0020.) AHCPH Publication No. 99-E024. Rockville, MD: Agency for Health Care Policy and Research. July 1999.
- Ekberg O, et al. Social and psychological burden of dysphagia: its impact on diagnosis and treatment. *Dysphagia*, 2002; 17:139-46.
- Eriksson PO, Eriksson A, Ringqvist M, Thornell LE. Histochemical fibre composition of the human digastric muscle. *Arch Oral Biol*, 1982; 27:207-15
- FDA 510k approval notice accessible at <http://www.fda.gov/cdrh/pdf2/k023347.pdf>
- FDA. Mission statement. Accessed at <http://www.fda.gov/opacom/morechoices/mission.htm>
- FDA. Guidance on medical device patient labeling; Final guidance for industry and FDA. Accessed at <http://www.fda.gov/cdrh/ohip/guidance/1128.html>.
- Finucaine TE, Christmas C, Travis K. Tube feeding in patients with advanced dementia. A review of the evidence. *JAMA*, 1999; 282:1365-81.
- Fowler LP, Gorham-Rowan M, and Hapner ER. An Exploratory Study of Voice Change Associated With Healthy Speakers After Transcutaneous Electrical Stimulation to Laryngeal Muscles. *J Voice* 2009.
- Freed M. Use of electric stimulation to restore swallow function. FDA trial data; 1998.
- Freed ML, Freed L, Chatburn RL, Christian M. Electrical stimulation for swallowing disorders caused by stroke. *Respir Care*, 2001; 46:466-74.
- Frost, Jo, Fiona Robinson, and Judi Hibberd. "A comparison of neuromuscular electrical stimulation and traditional therapy, versus traditional therapy in patients with longstanding dysphagia." *Current Opinion in Otolaryngology & Head and Neck Surgery* (2018).
- Gallas, Syrine, et al. "Sensory transcutaneous electrical stimulation improves post-stroke dysphagic patients." *Dysphagia* 25.4 (2010): 291-297
- Gillick MR. Rethinking the role of tube feeding in patients with advanced dementia. *N Engl J Med*, 2000;342:206-10
- Gomes GF, Pisani JC, Macedo ED, Campos AC. The nasogastric feeding tube as a risk factor for aspiration and aspiration pneumonia. *Curr Opin Clin Nutr Metab Care*. 2003; 6:327-33
- Guillén-Solà, Anna, et al. "Respiratory muscle strength training and neuromuscular electrical stimulation in subacute dysphagic stroke patients: a randomized controlled trial." *Clinical rehabilitation* 31.6 (2017): 761-771.

- Guzman, Marco, et al. "Neuromuscular electrical stimulation of the cricothyroid muscle in patients with suspected superior laryngeal nerve weakness." *Journal of Voice* 28.2 (2014): 216-225.
- Hamada, Satoshi, Hirofumi Yamaguchi, and Hiroyoshi Hara. "Does sensory transcutaneous electrical stimulation prevent pneumonia in the acute stage of stroke? A preliminary study." *International Journal of Rehabilitation Research* (2017).
- Hamdy, Shaheen, et al. "The cortical topography of human swallowing musculature in health and disease." *Nature medicine* 2.11 (1996): 1217-1224.
- Hamdy, S., Aziz, Q., Rothwell, J. C., Crone, R., Hughes, D., Tallis, R. C., & Thompson, D. G. (1997). Explaining oropharyngeal dysphagia after unilateral hemispheric stroke. *The Lancet*, 350(9079), 686-692.
- Hamdy S, Aziz Q, Rothwell JC, et al. Recovery of swallowing after dysphagic stroke relates to functional reorganization in the intact motor cortex. *Gastroenterology*. Nov 1998;115(5):1104-1112.
- Hamdy S, Rothwell JC. Gut feelings about recovery after stroke: the organization and reorganization of human swallowing motor cortex. *Trends Neurosci*, 1998; 21:278-82
- Hamdy S, Rothwell JC, Aziz Q, Singh KD, Thompson DG. Long-term reorganization of human motor cortex driven by short-term sensory stimulation. *Nat Neurosci*, 1998; 1(1): 64-8
- Hamdy S, Mikulis DJ, Crawley A, Xue S, Lau H, Henry S, Diamant NE. Cortical activation during human volitional swallowing: an event-related fMRI study. *Am J Physiol*, 1999; 277:G219-25
- Hammond CS, Davenport PW, Hutchison A, Otto RA. Motor Innervation of the Cricopharyngeus Muscle by the Recurrent Laryngeal Nerve. *Journal of Applied Physiology*, 1997; 83:89-94.
- Handa I, et al. A clinical trial of therapeutic electrical stimulation for amyotrophic lateral sclerosis. *Tohoku J Exp Med*, 1995; 175:123-34
- Handa Y, Yagi R, Hoshimiya N. Application of functional electrical stimulation to the paralyzed extremities. *Neurol Med Chir*, 1998; 38:784-8
- Hara, Yoshiko, et al. "Cervical Interferential Current Transcutaneous Electrical Sensory Stimulation for Patients with Dysphagia and Dementia in Nursing Homes." *Clinical Interventions in Aging* 15 (2020): 2431.
- Hatlebakk JG, Castell JA, Spiegel J, Paoletti V, Katz PO, Castell DO. Dilatation therapy for dysphagia in patients with upper esophageal sphincter dysfunction--manometric and symptomatic response. *Dis Esophagu*, s 1998; 11:254-9.
- Heck FM, Doeltgen SH, Huckabee ML. Effects of submental neuromuscular electrical stimulation on pharyngeal pressure generation. *Arch Phys Med Rehabil*. Nov 2012;93(11):2000-2007.
- Heijnen, Bastiaan J., et al. "Neuromuscular electrical stimulation versus traditional therapy in patients with Parkinson's disease and oropharyngeal dysphagia: effects on quality of life." *Dysphagia* 27.3 (2012): 336-345.
- Holmes SR, Gudridge TA, Gaudiani JL, Mehler PS. Dysphagia in severe anorexia nervosa and potential therapeutic intervention: a case series. *Ann Otol Rhinol Laryngol*. Jul 2012;121(7):449-456.
- Houge CW. Swallowing therapy of neurological patients: correlation of outcome with pretreatment variables and therapeutic methods. *Dysphagia*, 1995

- Huang, Kun-Ling, et al. "Functional outcome in acute stroke patients with oropharyngeal dysphagia after swallowing therapy." *Journal of Stroke and Cerebrovascular Diseases* 23.10 (2014): 2547-2553.
- Huckabee, Maggie-Lee, and Sebastian Doeltgen. "Emerging modalities in dysphagia rehabilitation: neuromuscular electrical stimulation." *NZ Med J* 120.1263 (2007): U2744.
- Huh, Jae-Won, et al. "Optimal placement of electrodes for treatment of post-stroke dysphagia by neuromuscular electrical stimulation combined with effortful swallowing." *Singapore Med J* 61.9 (2020): 487-491.
- Humbert IA, Poletto CJ, Saxon KG, et al. The effect of surface electrical stimulation on hyolaryngeal movement in normal individuals at rest and during swallowing. *J Appl Physiol*. Dec 2006;101(6):1657-1663.
- Humbert, lanessa A., et al. "Electrical stimulation and swallowing: How much do we know?." *Seminars in speech and language*. Vol. 33. No. 3. NIH Public Access, 2012.
- Humbert, lanessa A., et al. "Human hyolaryngeal movements show adaptive motor learning during swallowing." *Dysphagia* 28.2 (2013): 139-145.
- Ichihara N, et al. An assessment of dysphagia using videofluorography in Parkinson's disease and progressive supranuclear palsy. *Rinsho Shinkeigaku*, 2000; 40:1076-82
- Jacob P, Kahrilas PJ, Logemann JA, Shah V, Ha T. Upper esophageal sphincter opening and modulation during swallowing. *Gastroenterology*, 1989; 97:1469-78
- Jacob P, Kahrilas PJ, Herzon G, McLaughlin B. Determinants of upper esophageal sphincter pressure in dogs. *Am J Physiol*, 1990; 259(2 Pt 1): G245-51.
- Jacobs JR, Logemann J, Pajak TF, Pauloski BR, Collins S, Casiano RR, Schuller DE. Failure of Cricopharyngeal Myotomy to Improve Dysphagia Following Head and Neck Cancer Surgery. *Arch Otolaryngol Head Neck Surg*, 1999; 125:942-946
- Jean A. Brain stem control of swallowing: Neuronal network and cellular mechanisms. *Physiological Reviews*, 2001; 81:929-969
- Johnson ER, McKenzie SW, Sievers A. Aspiration pneumonia in stroke. *Arch Phys Med Rehabil*, 1993; 74:973-6
- Jungheim, Michael, et al. "Impact of Neuromuscular Electrical Stimulation on Upper Esophageal Sphincter Dynamics A High-Resolution Manometry Study." *Annals of Otolaryngology, Rhinology & Laryngology* (2014): 0003489414539132.
- Jungheim, Michael, et al. "Swallowing Function After Continuous Neuromuscular Electrical Stimulation of the Submandibular Region Evaluated by High-Resolution Manometry." *Dysphagia* (2017): 1-8.
- Kagaya H, Shimada Y, Sato K, Sato M. Changes in muscle force following therapeutic electrical stimulation in patients with complete paraplegia. *Paraplegia*, 1996; 34:24-9
- Kelly JH. Management of upper esophageal sphincter disorders: indications and complications of myotomy. *Am J Med*, 2000; 6:43S-46S
- Kendall KA, McKenzie MS, Leonard RJ, Gonçalves MI, Walker A. Timing of events in normal swallowing: A videofluoroscopic study. *Dysphagia*, 2000; 15:74-83
- Kiger M, Brown CS, and Watkins L. Dysphagia management: An analysis of patient outcome using VitalStim Therapy compared to traditional swallow therapy. *Dysphagia* 2006.

- Kim, Sae Hyun, et al. "Different Movement of Hyolaryngeal Structures by Various Application of Electrical Stimulation in Normal Individuals." *Annals of rehabilitation medicine* 39.4 (2015): 535-544.
- Kim, Hyojun, Jin-Woo Park, and Kiyeon Nam. "Effortful swallow with resistive electrical stimulation training improves pharyngeal constriction in patients post-stroke with dysphagia." *Journal of oral rehabilitation* (2017).
- Kleim, Jeffrey A., and Theresa A. Jones. "Principles of experience-dependent neural plasticity: implications for rehabilitation after brain damage." *Journal of speech, language, and hearing research* 51.1 (2008): S225-S239.
- Ko, Kyung Rok, et al. "Effect of Laryngopharyngeal Neuromuscular Electrical Stimulation on Dysphonia Accompanied by Dysphagia in Post-stroke and Traumatic Brain Injury Patients: A Pilot Study." *Annals of Rehabilitation Medicine* 40.4 (2016): 600-610.
- Korfage JA, Schueler YT, Brugman P, Van Eijden TM. Differences in myosin heavy-chain composition between human jaw-closing muscles and supra- and infrahyoid muscles. *Arch Oral Biol*, 2001; 46:821-7.
- Kuhl V, Eicke BM, Dieterich M, Urban PP. Sonographic analysis of laryngeal elevation during swallowing. *J Neurol*, 2003;250:333-7.
- Kuhlemeier KV. Epidemiology and dysphagia. *Dysphagia*. 1994; 9:209-17.
- Kushner DS, Peters K, Eroglu ST, Perless-Carroll M, Johnson-Greene D. Neuromuscular electrical stimulation efficacy in acute stroke feeding tube-dependent dysphagia during inpatient rehabilitation. *Am J Phys Med Rehabil*. Jun 2013;92(6):486-495.
- Lagorio L, Carnaby-Mann G, and Crary M. The effects of NMES on selected voice parameters: A case study. In: *ASHA*. Miami, FL: 2006.
- LaGorio, Lisa A., Giselle D. Carnaby-Mann, and Michael A. Crary. "Cross-system effects of dysphagia treatment on dysphonia: a case report." *Cases J* 1.1 (2008): 67.
- LaGorio, Lisa A., Giselle D. Carnaby-Mann, and Michael A. Crary. "Treatment of vocal fold bowing using neuromuscular electrical stimulation." *Archives of Otolaryngology–Head & Neck Surgery* 136.4 (2010): 398-403
- Langmore S, VanDaele D, Logemann J, Biber T, McCullough T, Lazarus C, Miller A. Electrical stimulation for dysphagia in head and neck cancer patients. A case series. Abstract presented at Dysphagia Research Society (DRS). March 2006.
- Langmore, Susan E., et al. "Efficacy of electrical stimulation and exercise for dysphagia in patients with head and neck cancer: A randomized clinical trial." *Head & neck* (2015).
- Lee SY, Yang HE, Yang HS, Lee SH, Jeung HW, Park YO. Neuromuscular Electrical Stimulation Therapy for Dysphagia Caused by Wilson's Disease. *Ann Rehabil Med*. Jun 2012;36(3):409-413.
- Lee, Kyeong Woo, et al. "The effect of early neuromuscular electrical stimulation therapy in acute/subacute ischemic stroke patients with dysphagia." *Annals of rehabilitation medicine* 38.2 (2014): 153-159.
- Leelamanit V, Limsakul C, Geater A. Synchronized Electrical Stimulation in Treating Pharyngeal Dysphagia. *Laryngoscope*, 2002; 112:2204-10
- Leese G, Hopwood D. Muscle fibre typing in the human pharyngeal constrictors and oesophagus: the effect of ageing. *Acta Anat*, 1986;127:77-80

- Leslie P, Drinnan MJ, Finn P, Ford GA, Wilson JA. Reliability and Validity of Cervical Auscultation: A Controlled Comparison Using Video fluoroscopy. *Dysphagia*, 2004; 19:231-240
- Li, Lejun, et al. "The value of adding transcutaneous neuromuscular electrical stimulation (VitalStim) to traditional therapy for post-stroke dysphagia: a randomized controlled trial." *Eur J Phys Rehabil Med* 51 (2015): 71-8.
- Li, Xue-wei, and Liang-yong Li. "Efficacy of neuromuscular electrical stimulation on Wilson's disease patients with dysphagia." *Journal of Physical Therapy Science* 31.12 (2019): 971-974.
- Lim KB, Lee HJ, Lim SS, and Choi YI. Neuromuscular electrical and thermal-tactile stimulation for dysphagia caused by stroke: a randomized controlled trial. *J Rehabil Med* 41: 174-178, 2009.
- Lim, Kil-Byung, et al. "Effect of low-frequency rTMS and NMES on subacute unilateral hemispheric stroke with dysphagia." *Annals of rehabilitation medicine* 38.5 (2014): 592-602.
- Lin P-H, Hsiao T-Y, Chang Y-C, et al. Effects of functional electrical stimulation on dysphagia caused by radiation therapy in patients with nasopharyngeal carcinoma. *Support Care Cancer*. Published online 29 November 2009.
- Linkov G, Branski RC, Amin M, et al. Murine model of neuromuscular electrical stimulation on squamous cell carcinoma: Potential implications for dysphagia therapy. *Head Neck*. Nov 15 2011.
- Logemann, J. (1997). Structural and functional aspects of normal and disordered swallowing. In Ferrand and Bloom (Eds.), *Introduction to Organic and Neurogenic Disorders of Communication*. Boston: Alyn and Bacon Publishers.
- Logemann JA, Paulowski BR, Rademaker AW, et al. Speech and swallowing rehabilitation in head and neck cancer patients. *Oncology* 1997;11:651-656
- Lohi EL, Lindberg C, Andersen O. Physical training effects in myasthenia gravis. *Arch Phys Med Rehabil*, 1993; 74:1178-80.
- Long YB, Wu XP. A randomized controlled trail of combination therapy of neuromuscular electrical stimulation and balloon dilatation in the treatment of radiation-induced dysphagia in nasopharyngeal carcinoma patients. *Disabil Rehabil*. Mar 2013;35(6):450-454.
- Ludlow CL, Bielamowicz S, Daniels Rosenberg M, Ambalavanar R, Rossini K, Gillespie M, Hampshire V, Testerman R, Erickson D, Carraro U. Chronic intermittent stimulation of the thyroarytenoid muscle maintains dynamic control of glottal adduction. *Muscle Nerve*, 2000; 23:44-57
- Ludlow CL, Humbert I, Saxon K, Poletto C, Sonies B, Crujido L. Effects of surface electrical stimulation both at rest and during swallowing in chronic pharyngeal Dysphagia. *Dysphagia*. Jan 2007;22(1):1-10.
- Lugger, K.E. Dysphagia in the elderly stroke patient. *Journal of Neuroscience Nursing*, 1994,26,78-84
- Maffiuletti NA, Dugnani S, Folz M, DiPierno E, Mauro F. Effect of combined electrostimulation and plyometric training on vertical jump height. *Medicine and Science in Sports and Exercise*, 2002; 10:1638-44
- Malmö. Survey performed at University Hospital. 2000.
- Mann G, Hankey GJ, Cameron D. Swallowing disorders following acute stroke: prevalence and diagnostic accuracy. *Cerebrovascular Disease*, 2000; 10:380-6.

- Mathieu J, Lapointe G, Brassard A, Tremblay C, Brais B, Rouleau GA, Bouchard JP. A pilot study on upper esophageal sphincter dilatation for the treatment of dysphagia in patients with oculopharyngeal muscular dystrophy. *Neuromuscul Disord*, 1997; 7:S100-4
- McConnel FM. Analysis of pressure generation and bolus transit during pharyngeal swallowing. *Laryngoscope* 1988; 98:71-78.
- McDuffie C, Morgan M, Armstrong C, Nathan C. Electrical stimulation of post irradiated head and neck SCCA. AAO-HNS. Los Angeles; 2005.
- Meng, Pingping, et al. "The effect of surface neuromuscular electrical stimulation on patients with post-stroke dysphagia." *Journal of back and musculoskeletal rehabilitation* Preprint (2017): 1-8.
- Miller, Simone, et al. "Electrical stimulation in treatment of pharyngolaryngeal dysfunctions." *Folia Phoniatrica et Logopaedica* 65.3 (2013): 154-168
- Milner-Brown HS, Miller RG. Muscle strengthening through electric stimulation combined with low-resistance weights in patients with neuromuscular disorders. *Arch Phys Med Rehabil*, 1988; 69:20-4.
- Mitchell K, Ramirez K, Robles M, Ahlswede J, McKenna D, Katz M, and Cleary JP. The Effectiveness of NMES (VitalStim) Therapy in the Neonatal Population. Children's Hospital of Orange County, 2010
- Mitchell SL, Berkowitz RE, Lawson FME, Lipsitz LA. A cross-national survey of tube-feeding decisions in cognitively impaired older persons. *J Am Geriatr Soc*, 2000; 48:391-7.
- Moon JB, Thompson SA, Jaeckel E, Canady JW. Muscle fiber type distribution in the normal human levator veli palatini muscle. *Cleft Palate Craniofac J*, 1998; 35:419-24
- Mu L, Sanders I. Neuromuscular organization of the human upper esophageal sphincter. *Ann Otol Rhinol Laryngol*, 1998; 107:370-7.
- Mu L, Sanders I. Neuromuscular compartments and fiber-type regionalization in the human inferior pharyngeal constrictor muscle. *Anat Rec*, 2001; 264:367-77.
- Mu L, Sanders I. Muscle fiber-type distribution pattern in the human cricopharyngeus muscle. *Dysphagia*, 2002; 17:87-96.
- Nam HS, Beom J, Oh BM, Han TR. Kinematic Effects of Hyolaryngeal Electrical Stimulation Therapy on Hyoid Excursion and Laryngeal Elevation. *Dysphagia*. Apr 20 2013.
- National Stroke Association. Retrieved 5-1-01 from http://www.stroke.org/brain_stat.cfm
- Neumann S, Bartolome G, Buchholz D, Prosiegel M. Swallowing therapy of neurologic patients: correlation of outcome with pretreatment variables and therapeutic methods. *Dysphagia*, 1995; 10:1-5
- Odderson IR, Keaton JC, Mckenna BS. Management in Patients on an Acute Stroke Pathway - Quality Is Cost-Effective. *Arch Phys Med Rehabil*, 1995; 76:1130-33
- Oh B-M, Kim D-Y, Paik N-J. Recovery of swallowing function is accompanied by expansion of the cortical map. *Int J Neurosci*. Sept 2007;117:1215-1227.
- Oh K, Kim S, Kwon K, Kim S, Lee S. The Effects of Neuromuscular Electrical Stimulation on Swallowing Function in Healthy Older Adults. *J Korean Acad Rehab Med*. 2011;35:195-200.

- Oh, Dong-Hwan, et al. "The effect of neuromuscular electrical stimulation with different electrode positions on swallowing in stroke patients with oropharyngeal dysphagia: A randomized trial." *Journal of back and musculoskeletal rehabilitation* Preprint (2019): 1-8.
- O'Loughlin G, Shanley C. Swallowing problems in the nursing home: a novel training response. *Dysphagia*, 1998; 13:172-83
- Palmer JB, Tanaka E, Ensrud E. Motions of the posterior pharyngeal wall in human swallowing: A quantitative videofluorographic study. *Arch Phys Med Rehabil*, 2000; 81:1520-26
- Parameswaran MS, Soliman AM. Endoscopic botulinum toxin injection for cricopharyngeal dysphagia. *Ann Otol Rhinol Laryngol*, 2002; 111:871-4
- Park CL, O'Neill PA, Martin DF. A pilot exploratory study of oral electrical stimulation on swallow function following stroke: an innovative technique. *Dysphagia*, 1997; 12:161-6.
- Park J-W, Youngsun K, Jong-Chi O, and Sung-Joon P. Effortful swallow combined with electrical stimulation in post-stroke dysphagic patients. In: *DRS*. New Orleans, LA: 2009a.
- Park JW, Oh JC, Lee HJ, Park SJ, Yoon TS, and Kwon BS. Effortful swallowing training coupled with electrical stimulation leads to an increase in hyoid elevation during swallowing. *Dysphagia* 24: 296-301, 2009b
- Park, J-S., et al. "Effects of neuromuscular electrical stimulation combined with effortful swallowing on post-stroke oropharyngeal dysphagia: a randomised controlled trial." *Journal of oral rehabilitation* 43.6 (2016): 426-434.
- Park, Ji-Su, et al. "Effects of neuromuscular electrical stimulation in patients with parkinson's disease and dysphagia: A randomized, single-blind, placebo-controlled trial." *NeuroRehabilitation* Preprint (2018): 1-7.
- Pattani KM, McDuffie CM, Morgan M, Armstrong C, Nathan CA. Electrical stimulation of post-irradiated head and neck squamous cell carcinoma to improve xerostomia. *J La State Med Soc*. Jan-Feb;162(1):21-25.
- Peng G, Masood R, and Sinha U. Radiation induces TGF- β and blocks MyoD causing fibrosis. In: *Otolaryngology-Head and Neck Surgery*. Chicago, IL: 2008, p. 184.
- Peng, Grace, et al. "Neuromuscular electrical stimulation improves radiation-induced fibrosis through Tgf-B1/MyoD homeostasis in head and neck cancer." *Journal of surgical oncology* (2016).
- Perez, Alejandro Garcia, et al. "Synchronous electrical stimulation of laryngeal muscles: an alternative for enhancing recovery of unilateral recurrent laryngeal nerve paralysis." *Journal of Voice* 28.4 (2014): 524-e1.
- Perlman AL, Palmer PM, McCulloch TM, Vandaele DJ. Electromyographic activity from human laryngeal, pharyngeal, and submental muscles during swallowing. *Journal of Applied Physiology*, 1999; 86:1663-1669
- Permsirivanich W, Tipchatyotin S, Wongchai M, Leelamanit V, Setthawatcharawanich S, Sathirapanya P, Phabphal K, Juntawises U, and Boonmeeprakob A. Comparing the effects of rehabilitation swallowing therapy vs. neuromuscular electrical stimulation therapy among stroke patients with persistent pharyngeal dysphagia: a randomized controlled study. *J Med Assoc Thai* 92: 259-265, 2009.
- Pichon F, Chatard JC, Martin A, Cometti G. Electrical stimulation and swimming performance. *Medicine and Science in Sports and Exercise*, 1995;27:1671-76

- Poorjavad, Marziyeh, et al. "Surface electrical stimulation for treating swallowing disorders after stroke: A review of the stimulation intensity levels and the electrode placements." *Stroke research and treatment* 2014 (2014).
- Ptok M, and Strack D. [Voice exercise therapy versus electrostimulation therapy in patients with unilateral vocal fold paralysis]. *Hno* 53: 1092-1097, 2005.
- Ptok M, and Strack D. Electrical stimulation-supported voice exercises are superior to voice exercise therapy alone in patients with unilateral recurrent laryngeal nerve paresis: results from a prospective, randomized clinical trial. *Muscle Nerve* 38: 1005-1011, 2008.
- Pulvermuller F, Neininger B, Elbert T, Mohr B, Rockstroh B, Koebel P, Taub E. Constraint-induced therapy of chronic aphasia after stroke. *Stroke*, 2001; 32:1621-6
- Ras, Yehia A., et al. "Voice outcome following electrical stimulation-supported voice therapy in cases of unilateral vocal fold paralysis." *The Egyptian Journal of Otolaryngology* 32.4 (2016): 322-334
- Rasmussen MJ, Hayes DL, Vlietstra RE, Thorsteinsson G. Can transcutaneous electrical nerve stimulation be safely used in patients with permanent cardiac pacemakers? *Mayo Clin Proc*, 1988; 63:443-5
- Rice K. Neuromuscular Electrical Stimulation in the Early Intervention Population: A Series of Five Case Studies. *The Internet Journal of Allied Health Sciences and Practice*. 2012;10(3).
- Rofes L, Arreola V, Lopez I, et al. Effect of surface sensory and motor electrical stimulation on chronic poststroke oropharyngeal dysfunction. *Neurogastroenterol Motil*. Aug 12 2013.
- Ryu JS, Kang JY, Park JY, Nam SY, Choi SH, Roh JL, Kim SY, and Choi KH. The effect of electrical stimulation therapy on dysphagia following treatment for head and neck cancer. *Oral Oncol* 2008.
- Sasaki CT, Kim J-H, Sims S, Czibulka A. Motor Innervation of the human cricopharyngeus muscle. *Ann Otol Rhinol Laryngol*, 1999:1132-1139
- Scarponi, Letizia, et al. "Neuromuscular Electrical Stimulation for Treatment-Refractory Chronic Dysphagia in Tube-Fed Patients: A Prospective Case Series." *Folia Phoniatrica et Logopaedica* 67.6 (2016): 308-314.
- Shaker R, Kern M, Bardan E, Taylor A, Stewart ET, Hoffmann RG, Arndorfer RC, Hofmann C, Bonnevier J. Augmentation of deglutitive upper esophageal sphincter opening in the elderly by exercise. *Am J Physiol*, 1997; 272(6 Pt 1): G1518-22
- Shanley C, O'Loughlin G. Dysphagia among nursing home residents: an assessment and management protocol. *J Gerontol Nurs*, 2000; 26:35-48
- Shaw JL, Sharpe S, Dyson SE, Pownall S, Walters S, Saul C, Enderby P, Healy K, O'Sullivan H. Bronchial Auscultation: An Effective Adjunct to Speech and Language Therapy Bedside Assessment When Detecting Dysphagia and Aspiration? *Dysphagia*, 2004; 19:211-218
- Shaw GY, Sechtem PR, Searl J, Keller K, Rawi TA, Dowdy E. Transcutaneous neuromuscular electrical stimulation (VitalStim) curative therapy for severe dysphagia: myth or reality? *Ann Otol Rhinol Laryngol*. Jan 2007;116(1):36-44.
- Solt J, Bajor J, Moizis M, Grexa E. Primary cricopharyngeal achalasia and its dilatation with balloon catheter. *Orv Hetil*, 2000; 141:2287-92

- Sproson, Lise, et al. "Combined electrical stimulation and exercise for swallow rehabilitation post-stroke: a pilot randomized control trial." *International journal of language & communication disorders* 53.2 (2018): 405-417.
- Stal P. Characterization of human oro-facial and masticatory muscles with respect to fibre types, myosins and capillaries. Morphological, enzyme-histochemical, immuno-histochemical and biochemical investigations. *Swed Dent J Suppl*, 1994; 98:1-55
- Stal P, Marklund S, Thornell LE, De Paul R, Eriksson PO. Fibre composition of human intrinsic tongue muscles. *Cells Tissues Organs*,. 2003; 173:147-61
- Stenson KM, MacCracken E, List M, et al. Swallowing function in patients with head and neck cancer prior to treatment. *Arch Otolaryngol Head Neck Surg* 2000;126:371–377
- Stroud AE, Lawrie BW, Wiles CM. Inter- and intra-rater reliability of cervical auscultation to detect aspiration in patients with dysphagia. *Clin Rehabil*, 2002; 16:640-5
- Suiter DM, Leder SB, Ruark JL. Effects of neuromuscular electrical stimulation on submental muscle activity. *Dysphagia*. Jan 2006;21(1):56-60.
- Sun SF, Hsu CW, Lin HS, et al. Combined Neuromuscular Electrical Stimulation (NMES) with Fiberoptic Endoscopic Evaluation of Swallowing (FEES) and Traditional Swallowing Rehabilitation in the Treatment of Stroke-Related Dysphagia. *Dysphagia*. Apr 13 2013.
- Sura, Livia, et al. "Dysphagia in the elderly: management and nutritional considerations." *Clinical interventions in aging* 7 (2012): 287.
- Suzuki M, Asada Y, Ito J, Hayashi K, Inoue H, Kitano H. Activation of Cerebellum and Basal Ganglia on Volitional Swallowing Detected by Functional Magnetic Resonance Imaging. *Dysphagia*, 2003; 18:71-77
- Suzuki T, Connor NP, Lee K, Bless DM, Ford CN, Inagi K. Age-related alterations in myosin heavy chain isoforms in rat intrinsic laryngeal muscles. *Ann Otol Rhinol Laryngol*, 2002; 111:962-7
- Takahashi, Keizo, et al. "Immediate effect of laryngeal surface electrical stimulation on swallowing performance." *Journal of Applied Physiology* 124.1 (2017): 10-15.
- Tan C, Liu Y, Li W, Liu J, Chen L. Transcutaneous neuromuscular electrical stimulation can improve swallowing function in patients with dysphagia caused by non-stroke diseases: a meta-analysis. *J Oral Rehabil*. Jun 2013;40(6):472-480.
- Tang, Yi, et al. "Therapeutic efficacy of neuromuscular electrical stimulation and electromyographic biofeedback on Alzheimer's disease patients with dysphagia." *Medicine* 96.36 (2017): e8008.
- Terré, R., and F. Mearin. "A randomized controlled study of neuromuscular electrical stimulation in oropharyngeal dysphagia secondary to acquired brain injury." *European Journal of Neurology* 22.4 (2015): 687-e44.
- Toyama, Keiichi, et al. "Novel neuromuscular electrical stimulation system for treatment of dysphagia after brain injury." *Neurologia medico-chirurgica* 54.7 (2014): 521.
- Umay, Ebru K., et al. "The effect of sensory level electrical stimulation of the masseter muscle in early stroke patients with dysphagia: A randomized controlled study." *Neurology India* 65.4 (2017): 734.
- Valli P, Boldrini L, Bianchedi D, Brizzi G, Miserocchi G. Effects of low intensity electrical stimulation on quadriceps muscle voluntary maximal strength. *J Sports Med Physical Fitness*, 2002; 42:425-30

- Vanderthommen M, Duteil S, Wary C, Raynaud JS, LeroyWillig A, Crielaard JM, Carlier PG. A comparison of voluntary and electrically induced contractions by interleaved H-1- and P-31-NMRS in humans. *Journal of Applied Physiology*, 2003; 94:1012-24
- Vergassola R, Borgioli A, Chiodi L, Rossi D, Fazi A, Lebrun E, Vaccari M. Changes in pacemakers and the wearers of pacemakers as a result of the use of different electromagnetic energy sources. *Minerva Cardioangiol*, 1994; 42:27-32
- Watts, Christopher R., and Matthew J. Dumican. "The effect of transcutaneous neuromuscular electrical stimulation on laryngeal vestibule closure timing in swallowing." *BMC Ear, Nose and Throat Disorders* 18.1 (2018): 5.
- Wijting Y. VitalStim user survey. Hixson, TN; 2007.
- Xia W, Zheng C, Lei Q, et al. Treatment of post-stroke dysphagia by vitalstim therapy coupled with conventional swallowing training. *J Huazhong Univ Sci Technolog Med Sci*. Feb;31(1):73-76
- Zhang, Ming, et al. "Effectiveness of Neuromuscular Electrical Stimulation on Patients With Dysphagia With Medullary Infarction." *Archives of physical medicine and rehabilitation* 97 (2015): 355-362.
- Zhang, Chengliang, et al. "Repetitive transcranial magnetic stimulation in combination with neuromuscular electrical stimulation for treatment of post-stroke dysphagia." *Journal of International Medical Research* 47.2 (2019): 662-672.
- Zupan A. Long-term electrical stimulation of muscles in children with Duchenne and Becker muscular dystrophy. *Muscle Nerve*, 1992;15:362-7
- Zupan A, Gregoric M, Valencic V, Vandot S. Effects of electrical stimulation on muscles of children with Duchenne and Becker muscular dystrophy. *Neuropediatrics*, 1993; 24:189-92.